## LITERATURE CITED

- Abele, L. G. and W. Kim. 1986. An illustrated guide to the marine crustaceans of Florida. Technical Series Vol. 1 Number 1 Part 1. November 1986. Department of Environmental Regulation, State of Florida. p. 326.
- Adler-Fenchel, H.S. 1980. Acoustically derived estimate of the size distribution for a sample of sperm whales (*Physeter macrocephalus*) in the Western North Atlantic. Canadian Journal of Fisheries and Aquatic Sciences 37:2358-2361.
- American Fisheries Society (AFS). 1989. Common and scientific names of aquatic invertebrates from the United States and Canada: decapod crustaceans. Special Publication 17, Bethesda, MD. 77 pp.
- Aguilar, R., J. Mas and X. Pastor. 1995. Impact of Spanish swordfish longline fisheries on the loggerhead sea turtle, *Caretta caretta*, population in the western Mediterranean, pp. 1. *In*: 12th Annual Workshop on Sea Turtle Biology and Conservation, February 25-29, 1992, Jekyll Island, Georgia.
- Aguirre, A.A., Balazs, G.H., Murakawa, S.K.K., and T.R. Spraker. 1998.

  Oropharyngeal fibropapillomas in Hawaiian green turtles (*Chelonia mydas*): pathologic and epidemologic perspectives. *In* Epperly, S.P., and J. Braun (compilers). Proceedings of the Seventeenth Annual Sea Turtle Symposium.

  U.S. Department of Commerce: NOAA Technical Memorandum NMFS-SEFSC-415. 294 pp.
- Ashford, J.R., P.S. Rubilar, and A.S. Martin. 1996. Interactions between cetaceans and longline fishery operations around South Georgia. Marine Mammal Science 12:452–457.
- Balazs, G.H. 1982. Growth rates of immature green turtles in the Hawaiian Archipelago, pp. 117-125. *In Bjorndal*, K.A. (ed.), Biology and Conservation of Sea Turtles. Smithsonian Institution Press, Washington, D.C.
- Balazs, G.H. 1983. Recovery records of adult green turtles observed or originally tagged at French Frigate Shoals, northwestern Hawaiian Islands. NOAA Technical Memorandum. NMFS-SWFC.
- Balazs, G.H. 1985. Impact of ocean debris on marine turtles: entanglement and ingestion. *In Shomura*, R.S. and H.O. Yoshida (eds.), Proceedings of the Workshop on the Fate and Impact of Marine Debris, November 26-29, 1984. Honolulu, Hawaii. NOAA Technical Memorandum. NMFS-SWFC-54:387-429.
- Balazs, G.H. and M. Chaloupka. 2003. Thirty year recovery trend in the once depleted Hawaiian green turtle stock. Biological Conservation, August.

- Baumgartner, M.F., K.D. Mullin, L.N. May, and T.D. Leming. 2001. Cetacean habitats in the northern Gulf of Mexico. Fishery Bulletin 99:219-239.
- Bedinger, C. A. Jr., and C. P. Nulton. 1982. Analysis of environmental and tar samples from the nearshore south Texas area after oiling from the Ixtoc-1 blowout, Bull. Environ. Contam. Toxicol. 28:166–171.
- Berg, J. J. 2004. Population Assessment of the Gulf of Mexico Sturgeon in the Yellow River, Florida. Masters Thesis, Univ. of FL. 68 pp.
- Berzin, A.A. 1971. "Kashalot [The sperm whale]". Izdat. "Pischevaya Promyschelennost." Moscow. English translation, 1972, Israel Program for Scientific Translations, Jerusalem, 394 pp.
- Best, P.B. 1979. Social organization in sperm whales, *Physeter macrocephalus*. In: Winn and Olla, pp. 227-89.
- Bjorndal, K.A. 1997. Foraging ecology and nutrition of sea turtles. *In*: Lutz, P.L. and J.A. Musick (eds.), The Biology of Sea Turtles. CRC Press, Boca Raton, Florida.
- Bolten, A.B., J.A. Wetheral, G.H. Balazs and S.G. Pooley (compilers). 1996. Status of marine turtles in the Pacific Ocean relevant to incidental take in the Hawaii-based pelagic longline fisheries. NOAA Technical Memorandum NMFS-SWFSC.
- Booth, P.N., and B.J. Presley. 1989. Trends in sediment trace element concentration around six petroleum drilling platforms in the northwestern Gulf of Mexico. In: Englehardt, F.R., J.P. Ray, and A.H. Gillam, Eds. Drilling Wastes. New York: Elsevier Applied Science Publishers, Ltd., pp. 3-20.
- Boulon, R., Jr. 2000. Trends in sea turtle strandings, U.S. Virgin Islands: 1982 to 1997. U.S. Department of Commerce, NOAA Tech. Memo. NMFS-SEFSC.
- Brongersma, L. 1972. European Atlantic Turtles. Zool. Verhand. Leiden 121, 318 pp.
- Burks, C., Mullin, K.D., Swartz, S.L., and A. Martinez. Cruise Results, NOAA ship Gorgon Gunter Cruise GU-01-01(11), 6 February-3 April 2001, Marine Mammal Survey of Puerto Rico and the Virgin Islands and a Study of Sperm Whales in the Southeastern Gulf of Mexico. NOAA Technical Memorandum NMFS-SEFSC-462, 58 p.
- Caldwell, D.K. and A. Carr. 1957. Status of the sea turtle fishery in Florida.

  Transactions of the 22nd North American Wildlife Conference, March 4-7, 1957, pp. 457-463.
- Carr, A. 1963. Pan specific reproductive convergence in *Lepidochelys kempii*. Ergebn. Biol. 26:298-303.

- Carr, A. 1983. All the way down upon the Suwannee River. Audubon Magazine 85:78-101.
- Carr, A. 1984. So Excellent a Fishe. Charles Scribner's Sons, New York.
- Carr, S.H., F. Tatman, and F.A. Chapman. 1996. Observations on the natural history of the Gulf of Mexico sturgeon (*Acipenser oxyrinchus desotoi* Vladykov 1955) in the Suwannee River, southeastern United States. Ecology of Freshwater Fish 5: 169-174.
- Castroviejo, J., J.B. Juste, J.P. Del Val, R. Castelo, and R. Gil. 1994. Diversity and status of sea turtle species in the Gulf of Guinea islands Biodiversity and Conservation 3: 828-836.
- Chan, E.H. and H.C. Liew. 1996. Decline of the leatherback population in Terengganu, Malyasia, 1956-1995. Chelonian Conservation and Biology 2(2):196-203.
- Chapman, F.A., S.F. O'Keefe, and D.E. Campton. 1993. Establishment of parameters critical for the culture and commercialization of Gulf of Mexico sturgeon, *Acipenser oxyrhynchus desotoi*. Final Report, NOAA, St. Petersburg, Florida.
- Chevalier, J., X. Desbois, and M. Girondot. 1999. The reason for the decline of leatherback turtles (*Demochelys coriacea*) in French Guiana: a hypothesis. Pp. 79-88 *In* Miaud, C. and R. Guytant (eds.), Current Studies in Herpetology, Proceedings of the ninth ordinary general meeting of the Societas Europea Herpetologica, August 25-29, 1998. Le Bourget du Lac, France.
- Clarke, R. 1956. Sperm whales of the Azores. Discovery Rep. 28, 237-298.
- Clarke M.R. 1962. Significance of cephalopod beaks. Nature 193:560-561.
- Clarke, M.R. 1976. Observation on sperm whale diving. J. Mar. Biol. Assoc. UK, 56:809-810.
- Clugston, J.P., Foster, A.M., and S.H. Carr. 1995. Gulf sturgeon, *Acipenser onyrinchus desotoi*, in the Suwannee River, Florida, USA. Proc. Of International Symposium on Sturgeons. Moscow, Russia. Eds: A.D. Gershanovich and T.I.J. Smith. Sept. 6-11, 1993. 370 pp.
- Craft, N.M., B. Russell, and S. Travis. 2001. Identification of Gulf sturgeon spawning habitats and migratory patterns in the Yellow and Escambia River systems. Final Report to the Florida Marine Research Institute, Fish and Wildlife Conservation Commission. 19 pp.

- Collard, S. 1990. Leatherback turtles feeding near a water mass boundary in the eastern Gulf of Mexico. Marine Turtle Newsletter 50:12-14.
- Cranford, T.W. 1992. Directional asymmetry in the odontocete forehead. American Zoologist 32(5):104
- Davis, R.W., and G.S. Fargion, eds. 1996. Distribution and abundance of cetaceans in the north-central and western Gulf of Mexico: Final Report. Volume II: Technical Report. OCS Study MMS 96-0027. Prepared by the Texas Institute of Oceanography and the National Marine Fisheries Service. U.S. Dept. of the Interior, Minerals Mgmt. Service, Gulf of Mexico OCS Refion, New Orleans, LA. 357 pp.
- Davis, R.W., W.E. Evans, and B. Würsig, eds. 2000a. Cetaceans, Sea Turtles, and Seabirds in the Northern Gulf of Mexico: Distribution, Abundance and Habitat Associations. Volume I: Executive Summary. Prepared by Texas A&M University at Galveston and the National Marine Fisheries Service. U.S. Department of the Interior, Geologic Survey, Biological Resources Division, USGS/BRD/CR - 1999-0006 and Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2000-002: 27 pp.
- Davis, R.W., W.E. Evans, and B. Würsig, eds. 2000b. Cetaceans, Sea Turtles, and Seabirds in the Northern Gulf of Mexico: Distribution, Abundance and Habitat Associations. Volume II: Executive Summary. Prepared by Texas A&M University at Galveston and the National Marine Fisheries Service. U.S. Department of the Interior, Geologic Survey, Biological Resources Division, USGS/BRD/CR-1999-0006 and Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2000-003: 346 pp.
- Davis, R.W., J.G. Ortega-Ortiz, C.A. Ribie, W.E. Evans, D.C. Biggs, P.H. Ressler, R.B. Cady, R.L. Leben, K.D. Mullin, and B. Würsig. 2002. Cetacean habitat in the northern Gulf of Mexico. Deep-Sea Research 49:121-142.
- Diez, C. E. and R.P. van Dam. 2006. Hawksbill turtle nesting beach habitat restoration on Mona Island, Puerto Rico: Research report for 2005.
- Dodd, C.K. 1981. Nesting of the green turtle, *Chelonia mydas* (L.), in Florida: historic review and present trends. Brimleyana 7: 39-54.
- Dodd, C.K. 1988. Synopsis of the biological data on the loggerhead sea turtle *Caretta caretta* (Linnaeus 1758). U.S. Fish and Wildlife Service Biological Report, 88-14, 1988. 110 pp.
- Doughty, R.W. 1984. Sea turtles in Texas: A forgotten commerce. Southwestern Historical Quarterly 88:43-70.

- Dufault S, Whitehead H. 1995. An assessment of changes with time in the marking patterns used for photoidentification of individual sperm whales, *Physeter* macrocephalus. Marine mammal Science 11(3):335-344.
- Dufault S, Whitehead H, Dillon M. 1999. An examination of the current knowledge on the stock structure of sperm whales (*Physeter macrocephalus*) worldwide. Journal of Cetacean Research and Management 1:1-10.
- Dutton, P.H. 2003. Molecular ecology of *Chelonia mydas* in the eastern Pacific Ocean. In: Proceedings of the 22nd Annual Symposium on Sea Turtle Biology and Conservation, April 4-7, 2002. Miami, Florida.
- Dutton, P.H., B.W. Bowen, D.W. Owens, A. Barragán, and S.K. Davis. 1999. Global phylogeography of the leatherback turtles (*Dermochelys coriacea*). Journal of Zoology, London 248:397-409.
- Dwyer, K.L., C.E. Ryder, and R. Prescott. 2002. Anthropogenic mortality of leatherback sea turtles in Massachusetts waters. Poster presentation for the 2002 Northeast Stranding Network Symposium.
- Eckert, S.A. 1997. Distant fisheries implicated in the loss of the world's largest leatherback nesting.
- Eckert, S.A. 1999. Global distribution of juvenile leatherback turtles. Hubbs Sea World Research Institute Technical Report 99-294.
- Eckert, S.A. and J. Lien. 1999. Recommendations for eliminating incidental capture and mortality of leatherback turtles, *Dermochelys coriacea*, by commercial fisheries in Trinidad and Tobago. A report to the Wider Caribbean Sea Turtle Conservation network (WIDECAST). Hubbs-Sea World research Institute Technical Report No. 2000-310. 7 pp.
- Ehrhart, L.M. 1983. Marine turtles of the Indian River lagoon system. Florida Sci. 46(3/4):337-346.
- Ehrhart, L.M. 1979. A survey of marine turtle nesting at Kennedy Space Center, Cape Canaveral Air Force Station, North Brevard County, Florida, 1-122. Unpublished report to the Division of Marine Fisheries, St. Petersburg, Florida, Florida Department of Natural Resources.
- Ehrhart, L.M. 1989. Status Report of the Loggerhead Turtle. Ogren, L., F. Berry, K. Bjorndal, H. Kumpf, R. Mast, G. Medina, H. Reichart, and R. Witham (Eds.). Proceedings of the Second Western Atlantic Turtle Symposium. NOAA Technical Memorandum NMFS-SEFSC-226, pp. 122-139.

- Erhart, L.M., D.A. Bagley, and W.E. Redfoot. 2003. Loggerhead Turtles in the Atlantic Ocean: Geographic Distribution, Abundance, and Population Status. Pages 157-174 in Bolten, A.B. and B.E. Witherington (editors). Loggerhead Sea Turtles. Smithsonian Books, Washington D.C.
- Ehrhart, L.M. and B.E. Witherington. 1992. Green turtle. *In Moler*, P.E. (ed.). Rare and Endangered Biota of Florida, Volume III. Amphibians and Reptiles. University Presses of Florida, pp 90-94.
- Epperly, S.P. and W.G. Teas. 2002. Turtle excluder devices: Are the escape openings large enough? Fishery Bulletin 100:466-474.
- Epperly, S.P., J. Braun, and A.J. Chester. 1995a. Aerial surveys for sea turtles in North Carolina inshore waters. Fishery Bulletin 93:254-261.
- Epperly, S.P., J. Braun, and A. Veishlow. 1995b. Sea turtles in North Carolina waters. Conservation Biology 9: 384-394.
- Epperly, S.P., J. Braun, A. J. Chester, F.A. Cross, J. Merriner, and P.A. Tester. 1995c. Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery. Bulletin of Marine Science 56(2): 519-540.
- Epperly, S., L. Avens, L. Garrison, T. Henwood, W. Hoggard, J. Mitchell, J. Nance, J. Poffenberger, C. Sasso, E. Scott-Denton, and C. Yeung. 2002. Analysis of sea turtle bycatch in the commercial shrimp industry of southeast U.S. waters and the ulf. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SEFSC-490. 88 pp.
- Ernst, L.H. and R.W. Barbour. 1972. Turtles of the United States. University of Kentucky Press, Lexington, Kentucky.
- Foster, A.M. 1993. Movement of Gulf sturgeon, *Acipenser oxyrinchus desotoi*, in the Suwannee River, Florida. M.S. Thesis, University of Florida, Gainesville, FL. 131 pp.
- Foster, A.M. and J.P. Clugston. 1997. Seasonal migration of Gulf sturgeon in the Suwannee River, Florida. Transactions of the American Fisheries Society 126:302-308.
- Fox, D.A. and J.E. Hightower. 1998. Gulf sturgeon estuarine and nearshore marine habitat use in Choctawhatchee Bay, Florida. Annual Report for 1998 to the National Marine Fisheries Service and the U.S. Fish and Wildlife Service. Panama City, Florida. 29 pp.

- Fox, D.A., J.E. Hightower, and F.M. Parauka. 2000. Gulf Sturgeon, Spawning Migration and Habitat in the Choctawhatchee River System, Alabama-Florida. Transactions of the American Fisheries Society 129:811-826.
- Fox, D., Hightower, J. and F. Parauka 2002. Estuarine and nearshore marine habitat use by gulf sturgeon from the Choctawhatchee River system, Florida. American Fisheries Society Symposium 28:111-126
- FPL (Florida Power and Light Company). 2000. Physical and ecological factors influencing sea turtle entrainment at the St. Lucie Nuclear Plant. 1976-1998.
- FPL (Florida Power and Light Company). 2002. Annual environmental operating report 2001. Juno Beach, Florida.
- Frazer, N.B. and L.M. Ehrhart. 1985. Preliminary growth models for green, *Chelonia mydas*, and loggerhead, *Caretta caretta*, turtles in the wild. Copeia 1985:73-79.
- Frazer, N.B., C.J. Limpus, and J.L. Greene. 1994. Growth and age at maturity of Queensland loggerheads. U.S. Department of Commerce. NOAA Technical Memorandum, NMFS-SEFSC-351:42-45.
- Fritts, T.H. 1982. Plastic bags in the intestinal tract of leatherback marine turtles. Herpetological Review 13(3):72-73.
- Fritts, T.H., W. Hoffman, and M.A. McGehee. 1983. The distribution and abundance of marine turtles in the Gulf of Mexico and nearby Atlantic waters. Journal of Herpetology 17:327-344.
- Fritts, T. H., and M. A. McGehee. 1982. Effects of petroleum on the development and survival of marine turtle embryos. Contract No. 14-16-0009-80-946, FWS/OBS-82/37. U.S. Fish and Wildlife Service, U.S. Department of the Interior, Washington, D.C.
- Gales, R.S. 1982. Effects of noise of offshore oil and gas operations on marine mammals

   an introductory assessment. Technical Report 844. Navy Oceans Systems
   Center, San Diego, Ca.
- Girondot, M. 2002. Density-dependent nest destruction and population fluctuations of Guianan leatherback turtles. Animal Conservation 5:75-84.
- Gladys Porter Zoo. 2005. Report on the Mexico/United States of America Population Restoration Project for the Kemp's Ridley Sea Turtle, Lepidocheyls kempii, on the coasts of Tamaulipas and Veracruz, Mexico 2005. Report submitted to the U.S. Fish and Wildlife Service, Department of Interior.

- Goff, G.P. and J. Lien. 1988. Atlantic leatherback turtle, *Dermochelys coriacea*, in cold water off Newfoundland and Labrador. Canadian Field Naturalist 102(1):1-5.
- Goold, J.C. and S.E. Jones. 1995. Time and frequency domain characteristics of sperm whale Clicks. Journal of the Acoustical Society of America 98:1279-1291.
- Gordon, J.C.D. 1987. Behaviour and ecology of sperm whales off Sri Lanka. Ph.D. dissertation, University of Cambridge, England.
- Gordon, J., R. Leaper, F.G. Hartley, and O. Chappell. 1992. Effects of whale watching vessels on the surface and underwater acoustic behavior of sperm whales off Kaikoura, New Zealand. Science and Research Series No. 52, Department of Conservation, PO Box 10-240, Wellington, New Zealand.
- Graff, D. 1995. Nesting and hunting survey of the turtles of the island of São Tomé. Progress Report July 1995, ECOFAC Componente de São Tomé e Príncipe, 33 pp.
- Guseman, J.L. and L.M. Ehrhart. 1992. Ecological geography of Western Atlantic loggerheads and green turtles: evidence from remote tag recoveries. *In* Salmon M. and J. Wyneken (compilers), Proceedings of the Eleventh Annual Workshop on Sea Turtle Biology and Conservation, NOAA Technical Memorandum NMFS-SEFC-302. 50 pp.
- Hatase, H., M. Kinoshita, T. Bando, N. Kamezaki, K. Sato, Y. Matsuzawa, K. Goto, K. Omuta, Y. Nakashima, H. Takeshita, and W. Sakamoto. 2002. Population structure of loggerhead turtles, *Caretta caretta*, nesting in Japan: Bottlenecks on the Pacific population. Marine Biology 141:299-305.
- Hays, G. C., J. S. Ashworth, M. J. Barnsley, A. C. Broderick, D. R. Emery, B. J. Godley, A. Henwood, and E. L. Jones. 2001. The importance of sand albedo for the thermal conditions on sea turtle nesting beaches. Oikos 93(1): 87–94.
- Hayes, G.C., J.D.R. Houghton, C. Isaacs, R.S. King, C. Lloyd and P. Lovell. 2004. First records of oceanic dive profiles for leatherback turtles, *Dermochelys coriacea*, indicate behavioural plasticity associated with long-distance migration. Animal Behaviour 67:733-743.
- Henwood, T.A. and L.H. Ogren. 1987. Distribution and migrations of immature Kemp's ridley (*Lepidochelys kempii*) and green turtles (*Chelonia mydas*) off Florida, Georgia, and South Carolina. Northeast Gulf Sci. 9:153-159.
- Heppell, S.S., L.B. Crowder, D.T. Crouse, S.P. Epperly, and N.B. Frazer. 2003.
  Population models for Atlantic loggerheads: past, present, and future. *In*:
  Loggerhead Sea Turtles. Bolten, A.B. and B.E. Witherington (eds.). Smithsonian Books, Washington. pp 255-273.

- Herbst, L.H. 1994. Fibropapillomatosis in marine turtles. Annual Review of Fish Diseases 4:389-425.
- Hildebrand, H.H. 1963. Hallazgo del area de anidacion de la tortuga marina "lora" Lepidochelys kempii (Garman), en la costa occidental del Golfo de Mexico. Ciencia Mexicana 22(4): 105-112.
- Hildebrand, H.H. 1982. A historical review of the status of sea turtle populations in the Western Gulf of Mexico. *In Bjorndal*, K.A. (ed.), Biology and Conservation of Sea Turtles. Smithsonian Institution Press, Washington D.C. pp. 447-453.
- Hilterman, M.L. and E. Goverse. 2003. Aspects of Nesting and Nest Success of the Leatherback Turtle (*Dermochelys coriacea*) in Suriname, 2002. Guinas Forests and Environmental Conservation Project (GFECP). Technical Report World Wildlife Fund Guinas, Biotopic Foundation, Amsterdam, The Netherlands, 31p.
- Hirth, H.F. 1997. Synopsis of the biological data on the green turtle *Chelonia mydas* (Linnaeus 1758). Biological Report 97(1), U.S. Fish and Wildlife Service, U.S. Dept. of the Interior. 120 pp.
- Huff, J.A. 1975. Life history of the Gulf of Mexico sturgeon, *Acipenser oxyrhynchus desotoi*, in the Suwannee River, Florida. Marine Resources Pub. No. 16. 32 pp.
- Jacobson, E.R. 1990. An update on green turtle fibropapilloma. Marine Turtle Newsletter 49:7-8.
- Jacobson, E.R., S.B. Simpson, Jr., and J.P. Sundberg. 1991. Fibropapillomas in green turtles. *In Balazs*, G.H. and S.G. Pooley (eds.), Research Plan for Marine Turtle Fibropapilloma, NOAA Technical Memorandum. NMFS-SWFSC-156:99-100.
- Johnson, S.A. and L.M. Ehrhart. 1994. Nest-site fidelity of the Florida green turtle. In Schroeder, B.A. and B.E. Witherington (compilers), Proceedings of the Thirteenth Annual Symposium on Sea Turtle Biology and Conservation, NOAA Technical Memorandum NMFS-SEFSC-341. 83 pp.
- Keinath, J.A., J.A. Musick, and R.A. Byles. 1987. Aspects of the biology of Virginia's sea turtles: 1979-1986. Virginia J. Sci. 38(4):329-336.
- Kennicutt II, M.C., Ed. 1995. Gulf of Mexico offshore operations monitoring equipment, Phase I: Sublethal responses to contaminant exposure, final report.
   U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, La. OCS Study MMS 95-0045. 709 pp.
- Kasuya, T. 1991. Density dependent growth in North Pacific sperm whales. Marine Mammal Science 7:230-257.

- Kasuya T. and T. Miyashita. 988. Distribution of sperm whale stocks in the North Pacific. Sci Rep Whales Res Inst 39:31-75.
- Lageux, C.J., C. Campbell, L.H. Herbst, A.R. Knowlton, and B. Weigle. 1998.
  Demography of marine turtles harvested by Miskitu Indians of Atlantic
  Nicaragua. U.S. Department of Commerce, NOAA Technical Memorandum
  NMFS-SEFSC.
- Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet, and M. Podesta. 2001. Collisions between ships and whales. Marine Mammal Science 17:35-75.
- Lambertsen RH, Kohn BA, Sundberg JP, Buergelt CD. 1987. Gential papillomatosis in sperm whale bulls. Journal of Wildlife Diseases 23(3): 361-367.
- Lewison, R.L., S.A. Freeman, and L.B. Crowder. 2004. Quantifying the effects of fisheries on threatened species: the impact of pelagic longlines on loggerhead and leatherback sea turtles. Ecological Letters 7:221-231.
- Limpus, C.J. and D.J. Limpus. 2003. Loggerhead turtles in the equatorial Pacific and southern Pacific Ocean: A species in decline. *In*: Bolten, A.B., and B.E. Witherington (eds.), Loggerhead Sea Turtles. Smithsonian Institution.
- Loehefener, R. R., W. Hoggard, C. L. Roden, K. D. Mullin, and C. M. Rogers. 1989. Petroleum structures and the distribution of sea turtles. In: Proc. Spring Ternary Gulf of Mexico Studies Meeting, Minerals Management Service, U.S. Department of the Interior, New Orleans, La
- Lutcavage, M.E., P.L. Lutz, G.D. Bossart, and D.M. Hudson. 1995. Physiologic and clinicopathologic effects of crude oil on loggerhead sea turtles. Arch. Environ. Contam. Toxicol. 28:417-422.
- Lutcavage, M.E., P. Plotkin, B. Witherington, and P.L. Lutz. 1997. Human impacts on sea turtle survival. *In*: Lutz, P.L. and J.A. Musick (eds.), The Biology of Sea Turtles. CRC Press, Boca Raton, Florida. pp. 387-409.
- Lutcavage, M. and J.A. Musick. 1985. Aspects of the biology of sea turtles in Virginia. Copeia (1985):449-456.
- Lutz, P. L. 1989. Methods for determining the toxicity of oil and dispersants to sea turtles. In: Oil and Dispersant Toxicity Testing: Proceedings of a Workshop on Technical Specifications Held in New Orleans, La., T. W. Duke and G. Petrazzuolo, eds. Prepared under MMS contract 14-12-0001-30447, OCS Study MMS 89-0042, pp. 97–101.

- Peter L. Lutz, John A. Musick and Jeanette Wyneken (eds.). 2003. The Biology of Sea Turtles, Volume II. CRC Press, Boca Raton, Florida.
- Mackay, A.L., and J.L. Rebholz. 1996. Sea turtle activity survey on St. Croix, U.S. Virgin Islands (1992-1994). In Keinath, J.A., D.E. Barnard, J.A. Musick, and B.A. Bell (compilers). Proceedings of the Fifteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Tech. Memo. NMFS-SEFSC-387:178-181.
- Madsen, P.T., B. Møhl, B.K. Nielsen, and M. Wahlberg. 2002. Male sperm whale behavior during exposures to distant seismic survey pulses. Aquatic Mammals 28:231-240.
- Marcano, L.A. and J.J. Alio-M. 2000. Incidental capture of sea turtles by the industrial shrimping fleet off northwestern Venezuela. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SEFSC.
- Margaritoulis, D., R. Argano, I. Baran, F. Bentivegna, M.N. Bradai, J.A. Camiñas, P. Casale, G. De Metrio, A. Demetropoulos, G. Gerosa, B.J. Godley, D.A. Haddoud, J. Houghton, L. Laurent, and B. Lazar. 2003. Loggerhead Turtles in the Mediterranean Sea: Present Knowledge and Conservation Perspectives. Pages 175-198 in Bolten, A.B. and B.E. Witherington (editors).
- Márquez, R. 1990. FAO Species Catalogue, Vol. 11. Sea turtles of the world, an annotated and illustrated catalogue of sea turtle species known to date. FAO Fisheries Synopsis, 125. 81 pp.
- Maze-Foley, K. and K. Mullin. 2006. Cetaceans of the oceanic northern Gulf of Mexico: Distributions, group sizes and interspecific associations. Journal of Cetacean Research and Management 8(2):203–213.
- McCauley, R.D., J. Fewtrell, A.J. Duncan, C. Jenner, M.N. Jenner, J.D. Penrose, R.I.T. Prince, A. Adhita, J. Murdoch, and K. McCabe. 2000. Marine seismic surveys: analysis and propagation of air-gun signals; and effects of air-gun exposure on humpback whales, sea turtles, fishes and squid. A Report Prepared for the Australian Production Exploration Association. Project CMST 163, Report R99-15. 198 pp.
- Menzel, R.W. 1971. Checklist of the Marine Fauna and Flora of the Apalachee Bay and the St. George Sound Area. Third Edition. The Department of Oceanography, Florida State University. Tallahassee, Florida. 126 pp.
- Meylan, A., B. Schroeder, and A. Mosier. 1995. Sea turtle nesting activity in the state of Florida. Florida Marine Research Publications, No. 52.

- Milton, S.L., S. Leone-Kabler, A.A. Schulman, and P.L. Lutz. 1994. Effects of Hurricane Andrew on the sea turtle nesting beaches of South Florida. Bulletin of Marine Science, 54(3):974-981.
- Minerals Management Service. 2006. Gulf of Mexico Oil and Gas Activities: 2007-2012 Western and Central Planning Areas. MMS Gulf of Mexico Region Biological Assessment. April 2006, 149 pp.
- Moein, S.E., J.A. Musick, and M.L. Lenhardt. 1994. Auditory behavior of the loggerhead sea turtle (*Caretta caretta*). Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Tech. Memo. NMFS-351, p. 89.
- Mrosovsky, N. 1981. Plastic jellyfish. Marine Turtle Newsletter 17: 5-6.
- Mullin, K.D. 2002. Personal Communication to Kyle Baker. National Marine Fisheries Service, Pascagoula Laboratory. Pascagoula, MS.
- Mullin, K.D. and G.L. Fulling. 2003. Abundance of cetaceans in the oceanic northern Gulf of Mexico, 1996-2001. Marine Mammal Science 20(4):787-807.
- Mullin, K.D., and W. Hoggard. 2000. Visual surveys of cetaceans and sea turtles from aircraft and ships, chapter 4. *In:* R.W. Davis, W.E. Evans, and B. Würsig (EDS.), Cetaceans, Sea Turtles and Birds in the Northern Gulf of Mexico: Distribution, Abundnce and Habitat Associations. Volume II: Technical Report. Prepared by Texas A&M University at Galveston and the National Marine Fisheries Service. U.S. Department of the Interior, U.S. Geologic Survey, Biological Resources Division, USGS/BRD/CR-1999-005 and Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2000-003.
- Mullins, J., H. Whitehead, and L.S. Weilgart. 1988. Behavior and vocalizations of two single sperm whales, *Physeter macrocephalus* off Nova Scotia. Canadian Journal of Fisheries and Aquatic Sciences 45:1736-1743.
- Murphy, T.M. and S.R. Hopkins. 1984. Aerial and ground surveys of marine turtle nesting beaches in the Southeast region, U.S. Final Report to the National Marine Fisheries Service; NMFS Contract No. NA83-GA-C-00021. 73 pp.
- Musick, J.A. and C.J. Limpus. 1997. Habitat utilization in juvenile sea turtles. *In* Lutz, P.L. and J.A. Musick (eds.), The Biology of Sea Turtles. CRC Press, Boca Raton, Florida. pp. 137-163.
- Neff, J.M. 2002. Bioaccumulation in Marine Organisms. Effect of contaminants from oil well produced water. Elsevier Science Publ. Amsterdam. 452pp.

- Neff, J.M., T.C. Sauer, and N. Maciolek. 1989. Fate and effects of produced water discharges in nearshore marine waters. Prepared for the American Petroleum Institute, Washington, DC.
- NMFS. 1995. Endangered Species Act section 7 consultation on United States Coast Guard vessel and aircraft activities along the Atlantic coast. Biological Opinion. September 15.
- NMFS. 1996. Endangered Species Act section 7 consultation on reinitiation of consultation on United States Coast Guard Vessel and Aircraft Activities along the Atlantic Coast. Biological Opinion. July 22.
- NMFS. 1997a. Endangered Species Act section 7 consultation on Navy activities off the southeastern United States along the Atlantic Coast. Biological Opinion. May 15.
- NMFS. 1997b. Endangered Species Act section 7 consultation on the continued hopper dredging of channels and borrow areas in the southeastern United States. Biological Opinion. September 25.
- NMFS. 1998. Endangered Species Act section 7 consultation on COE permits to Kerr-McGee Oil and Gas Corporation for explosive rig removals off of Plaquemines Parish, Louisiana. Draft Biological Opinion. September 22.
- NMFS. 2001a. Stock assessments of loggerhead and leatherback sea turtles and an assessment of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the Western North Atlantic. U.S. Department of Commerce NOAA Technical Memorandum NMFS-SEFSC-455.
- NMFS. 2001b. Endangered Species Act section 7 consultation on the reinitiation of consultation on the Atlantic highly migratory species fishery management plan and its associated fisheries. Biological Opinion. June 14.
- NMFS. 2002a. Endangered Species Act section 7 consultation on shrimp trawling in the southeastern United States under the sea turtle conservation regulations and as managed by the fishery management plans for shrimp in the South Atlantic and the Gulf of Mexico. Biological Opinion, December 2.
- NMFS. 2002a. Endangered Species Act section 7 consultation on the proposed Gulf of Mexico outer continental shelf lease sale184. Biological Opinion. July 11.
- NMFS. 2002b. Endangered Species Act section 7consultation on proposed Gulf of Mexico outer continental shelf multi-lease sales (185, 187, 190, 192, 194, 196, 198, 200, 201). Biological Opinion. November 29.
- NMFS. 2003a. Endangered Species Act section 7 consultation on the continued operation of Atlantic shark fisheries (commercial shark bottom longline and drift

- gillnet fisheries and recreational shark fisheries) under the Fishery Management Plan for Atlantic Tunas, Swordfish, and Sharks (HMS FMP) and the Proposed Rule for Draft Amendment 1 to the HMS FMP. Biological Opinion. July 2003.
- NMFS. 2003b. Endangered Species Act section 7 consultation on dredging of Gulf of Mexico Navigation Channels and Sand Mining ("Borrow") Areas Using Hopper Dredges by COE Galveston, New Orleans, Mobile, and Jacksonville Districts. Biological Opinion, November.
- NMFS. 2003c. Endangered Species Act section 7 consultation on Gulf of Mexico Outer Continental Shelf oil and gas lease sales 189 and 197. Biological Opinion. August 30.
- NMFS. 2004a. Endangered Species Act section 7 consultation on proposed regulatory amendments to the FMP for the pelagic fisheries of the western Pacific region. Biological opinion. February 23.
- NMFS. 2004b. Endangered Species Act section 7 reinitiation consultation on the Atlantic pelagic longline fishery for highly migratory species. Biological Opinion. June 1.
- NMFS. 2004c. Endangered Species Act section 7 consultation on the Eglin Gulf test and training range. Biological opinion. October 20.
- NMFS. 2004b. Endangered Species Act section 7 consultation on Naval explosive ordnance disposal training school of excellence. Biological opinion. October 25.
- NMFS. 2005a. Endangered Species Act section 7 consultation on the precision strike weapons tests five-year plan. Biological opinion. March 14.
- NMFS. 2005b. Endangered Species Act section 7 consultation on the Santa Rosa Island mission utilization plan. Biological opinion. October 12.
- NMFS. 2005c. Endangered Species Act section 7 consultation on the GOM reef fish fishery management plan (RFFMP) and proposed amendment 23. February 12.
- NMFS and USFWS. 1991a. Recovery plan for U.S. Populations of Loggerhead Turtle. National Marine Fisheries Service, Washington, D.C.
- NMFS and USFWS. 1991b. Recovery Plan for U.S. Populations of Atlantic Green Turtle. National Marine Fisheries Service, Washington, D.C.
- NMFS and USFWS. 1992. Recovery Plan for Leatherback Turtles in the U.S. Caribbean, Atlantic and Gulf of Mexico. National Marine Fisheries Service, Washington, D.C.

- NMFS and USFWS. 1993. Recovery Plan for Hawksbill Sea Turtles in the U.S. Caribbean Sea, Atlantic Ocean, and Gulf of Mexico. National Marine Fisheries Service, Washington.
- NMFS and USFWS. 1995. Status reviews for sea turtles listed under the Endangered Species Act of 1973. National Marine Fisheries Service, Silver Spring, Md.
- NMFS and USFWS. 1998. Recovery Plan for U.S. Pacific Populations of the Leatherback Turtle. Prepared by the Pacific Sea Turtle Recovery Team.
- NRC (National Research Council, Committee on Sea Turtle Conservation). 1990.

  Decline of the Sea Turtles: Causes and Prevention. National Academy Press,
  Washington D.C.
- Norris, K.S., and G.W. Harvey. 1972. A theory for the function of the spermaceti organ of the sperm whale (*Physeter catodon* L.). In Galler, S. R., K. Schmidt-Koenig, G. J. Jacobs, and R. E. Belleville, eds., Animal orientation and navigation, U.S. Natl. Aeronautics and Space Admin., Washington, D.C., pp. 397-417.
- Norris and Møhl. 1983. Can odontocetes debilitate prey with sound? American Naturalist 122(1):85-104.
- Odell DK. 1992. Sperm whale (*Physeter macrocephalus*), family Physeteridae, order Cetacea. In: Humphrey SR, editor. Rare and endangered biota of Florida. Gainesville: Univ. Press Fla.
- Odenkirk, J.S. 1989. Movements of Gulf of Mexico sturgeon in the Apalachicola River, Florida. Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies 43:230-238.
- Ogren, L.H. 1988. Biology and Ecology of Sea Turtles. Prepared for National Marine Fisheries, Panama City Laboratory. September 7.
- Ogren, L.H. 1989. Distribution of juvenile and subadult Kemp's Ridley Sea Turtles: Preliminary Results from the 1984-1987 Surveys. *In* Caillouet, C.W., Jr. and A.M. Landry, Jr. (eds.), Proceedings of the First International Symposium on Kemp's Ridley Sea Turtle Biology, Conservation and Management. Texas A&M University Sea Grant College Program, Galveston. TAMU-SG-89-105.
- O'Hara, J. and J.R. Wilcox. 1990. Avoidance responses of loggerhead turtles, *Caretta caretta*, to low frequency sound. Copeia; (1990) 2:564-567.
- Owens, D. 1983. Oil and sea turtles in the Gulf of Mexico: a proposal to study the problem. U.S. Fish and Wildlife Service Biological Services Program. WS/OBS-83/03, p. 34-39.

- Papastavrou, Y., S.C. Smith, and H. Whitchead. 1989. Diving behaviour of the sperm whale, *Physeter macracephalus*, off the Galapagos Islands, Canadian Journal of Zoology 7: 839-846.
- Perry, S.L., D.P. DeMaster, and G.K. Silber. 1999. The Great Whales: History and Status of Six Species Listed as Endangered under the U.S. Endangered Species Act fo 1973. Marine Fisheries Review 61(1).
- Pritchard, P.C.H. 1969. Sea turtles of the Guianas. Bull. Fla. State Mus. 13(2):1-139.
- Pritchard, P.C.H. 1982. Nesting of the leatherback turtle, *Dermochelys coriacea*, in Pacific, Mexico, with a new estimate of the world population status. Copeia 1982: 741-747.
- Pritchard, P.C.H. 1996. Are leatherbacks really threatened with extinction? Chelonian Conservation and Biology 2(2): 303-305.
- Putrawidjaja, M. 2000. Marine turtles in Iranian Jaya, Indonesia. Marine Turtle Newsletter 90:8-10.
- Reeves, R. R., and H. Whitehead. 1997. Status of the sperm whale, *Physeter macrocephalus*, in Canada. Canadian Field Naturalist 111(2):293-307.
- Reichart, H., L. Kelle, L. Laurant, H.L. van de Lande, R. Archer, R. Charles and R. Lieveld. 2001. Regional Sea Turtle Conservation Program and Action Plan for the Guiana (K.L. Eckert and M. Fontaine, eds.). World Wildlife Fund Guianas Forests and Environmental Conservation Project. Paramaribo. WWF technical report GFECP #10.
- Renaud, M.L. 1995. Movements and submergence patterns of Kemp's ridley turtles (*Lepidochelys kempii*). Journal of Herpetology 29:370-374.
- Renaud, M.L. 2001. Sea turtles of the Gulf of Mexico. Gulf of Mexico Marine Protected Species Workshop, June 1999. U.S. Department of the Interior, Minerals Management Service, INTERMAR, Herndon, Virginia. OCS Report MMS 2001-090. 23 pp.
- Rhodin, A.G.J. 1985. Comparative chrondro-osseous development and growth of marine turtles. Copeia 1985:752-771.
- Richardson, W.J., Greene, C.R., Mame, C.I. & Thomson, D.H. 1995. Marine Mammals and Noise. Academic Press Inc, San Diego, USA.
- Roden, C.L. and K.D. Mullin. 2000. Application of Sperm Whale Research Techniques in the Northern Gulf of Mexico - A Pilot Study. Report of NOAA Ship Gordon Gunter Cruise 009.

- Ross, J.P. 1979. Historical decline of loggerhead, ridley, and leatherback sea turtles. *In*: Bjorndal, K.A. (editor), Biology and Conservation of Sea Turtles. pp. 189-195. Smithsonian Institution Press, Washington, D.C. 1995.
- Salmon, M., and J. Wyneken. 1990. Orientation by Swimming Sea Turtles: Role of Photic Intensity Differences While Nearshore. Proceedings of the Tenth Annual Workshop on Sea Turtle Biology and Conservation. NOAA Technical Memorandum SEFSC-278. pp: 107-108.
- Sarti, L., S. Eckert, and N.T. Garcia. 1998. Estimation of nesting population size of the leatherback sea turtle *Dermochelys coriacea*, in the Mexican Pacific during the 1997-1998 nesting season. Final contract report to NMFS, Southwest Fisheries Science Center. La Jolla, California.
- Sarti, L., S. Eckert, P. Dutton, A. Barragan, and N. Garcia. 2000. The current situation of the leatherback population on the Pacific coast of Mexico and Central America, abundance and distribution of the nestings: An update, pp.85-87. *In*: Proceedings of the 19th Annual Symposium on Sea Turtle Conservation and Biology, March 2-6, 1999, South Padre Island, Texas.
- Schmid, J.R. and W.N. Witzell. 1997. Age and growth of wild Kemp's ridley turtles (*Lepidochelys kempii*): Cumulative results of tagging studies in Florida. Chelonian Conservation and Biology 2:532-537.
- Schroeder, B.A., and A.M. Foley. 1995. Population studies of marine turtles in Florida Bay. *In* Richardson, J.I. and T. H. Richardson (compilers), Proceedings of the Twelfth Annual Workshop on Sea Turtle Biology and Conservation, NOAA Technical Memorandum NMFS-SEFSC-361. 117 pp.
- Schultz, J.P. 1975. Sea turtles nesting in Surinam. Zoologische Verhandelingen (Leiden), Number 143: 172 pp.
- Seminoff, J.A. 2002. Global status of the green turtle (*Chelonia mydas*): A summary of the 2001 stock assessment for the IUCN Red List Programme. Presented at the Western Pacific Sea Turtle Cooperative Research and Management Workshop, Honolulu, Hawaii, February 5-8, 2002.
- Shaver, D.J. 1991. Feeding ecology of wild and head-started Kemp's ridley sea turtles in south Texas waters. Journal of Herpetology 23, 1991.
- Shaver, D.J. 1994. Relative abundance, temporal patterns, and growth of sea turtles at the Mansfield Channel, Texas. Journal of Herpetology 28:491-497.

- Wynne, K. and M. Schwartz. 1999. Guide to marine mammals and turtles of the U.S. Atlantic and Gulf of Mexico. Rhode Island Sea Grant, Narragansett. 115 pp.
- Zug, G.R., and J.F. Parham. 1996. Age and growth in leatherback turtles, *Dermochelys coriacea* (Testudines: Dermochelyidae): a skeletochronological analysis. Chelonian Conservation and Biology 2(2):244-249.
- Zurita, J.C., R. Herrera, A. Arenas, M.E. Torres, C. Calderon, L. Gomez, J.C. Alvarado, and R. Villavicencio. 2003. Nesting loggerhead and green sea turtles in Quintana Roo, Mexico. Pp. 125-127 In: Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum. NMFS SEFSC.
- Zwinenberg. A.J. 1977. Kemp's ridley, Lepidochelys kempii (Garman, 1880), undoubtedly the most endangered marine turtle today (with notes on the current status of Lepidochelys olivacea). Bulletin of the Maryland Herpetological Society, 13(3):170-192.

## APPENDICES

APPENDIX A. IMPLEMENTATION OF SEISMIC SURVEY MITIGAITON MEASURES AND PROTECTED SPECIES OBSERVER PROGRAM (NTL 2007-G02).

APPENDIX B. VESSEL STRIKE AVOIDANCE AND INJURED/DEAD PROTECTED SPECIES REPORTING (NTL 2007-G04).

APPENDIX C. MARINE TRASH AND DEBRIS AWARENESS AND ELIMINATION ((NTL 2007-G03).